

**APPENDIX A  
ROUTE DESIGNATION**

HOLLISTER FIELD OFFICE  
CLEAR CREEK MANAGEMENT AREA  
ROUTE DESIGNATION WORKSHEET

1. Route Number:
2. Route Characteristics
  - a. Length
  - b. Continuity
  - c. Description
  - d. Trail Maintenance Objective
3. Topographic Map(s):

| EVALUATION CRITERIA |                                |                 |                    |            |
|---------------------|--------------------------------|-----------------|--------------------|------------|
| Level               | Criteria Name                  | Criteria Value1 | Determination Date | Mitigation |
| Tier 1              | Private/state lands/mines      |                 |                    |            |
| Tier 1              | Sensitive species and Cultural |                 |                    |            |
| Tier 1              | RNA/WSA                        |                 |                    |            |
| Tier 1              | Barrens Interface              |                 |                    |            |
| Tier 1              | Riparian Areas                 |                 |                    |            |
| Tier 2              | Erosion, Soil Loss Standard    |                 |                    |            |
| Tier 3              | OHV use/use spectrum           |                 |                    |            |
| Tier 4              | Transportation/manageability   |                 |                    |            |
| Tier 4              | Admin Use/ROW's                |                 |                    |            |
| Tier 4              | Route Proliferation/redundancy |                 |                    |            |
| Tier 4              | Route Continuity               |                 |                    |            |

4. ROUTE DESIGNATION:  
(If Limited, Describe Limitation)
5. ROUTE DESIGNATION DATE:
6. Other Proposed Actions
7. Route Specific Rationale:
8. Decision Record:  
This decision is in conformance with the Hollister Resource Management Plan, 1984; Clear Creek Management Plan and Record of Decision, 1986; Clear Creek Management Plan Amendment and Record of Decision 1999.

Decision Criteria: Includes all criteria identified in 43 CFR 8342.1 parts (a) through (d) and the Proposed Action.

**HOLLISTER FIELD OFFICE  
CLEAR CREEK MANAGEMENT AREA  
ROUTE EVALUATION CRITERIA and DATA ELEMENT DICTIONARY**

**Introduction:** The following criteria represent the data on which decisions about the authorized recreation use of routes is based. The data element dictionary describes the allowed responses for each criterion. The information on each route will be entered into an electronic database for analysis and query.

**Route Designation Criteria**

The criteria have been combined into four tiers, roughly corresponding to the criteria's likelihood of requiring route closure. Where possible, mitigation measures are discussed that can be used to reduce the expected motorized OHV impacts under each criterion. Mitigation, as used in the process, refers to management actions that BLM can undertake to alleviate the effects of OHV use with respect to the designation criteria.

**Tier One**

These factors can individually result in a closure decisions for a given route. Nevertheless, some of the detrimental characteristics identified by these criteria can be successfully mitigated, given sufficient funding, staffing, and recreation interest.

**Private Land, State Lands and Mines**

Private and state lands occur throughout the CCMA. To date, managed routes have been maintained to reduce erosion by the Bureau without regard to ownership unless the Bureau has specifically been asked to assist in preventing OHV and other uses. Where routes desirable for recreation traverse private land, the Bureau will seek clarification from landowners about whether or not they wish to allow for OHV use. Should a landowner request it, the Bureau will close routes that traverse non-Bureau lands by closing the route back to the nearest intersections. The Bureau will seek reciprocal rights-of-way with private landowners as appropriate to provide access on primary route connectors. Reroutes to avoid non-Bureau lands will be evaluated under a separate Environmental Analysis, given sufficient recreation interest, adequate staff and sufficient funds. Mines will be avoided by closing routes leading to or through mined areas to avoid subjecting recreation users to increased levels of hazardous materials.

**Mitigation.** The Bureau will seek reciprocal rights-of-way with private landowners as appropriate to provide access on primary route connectors. Possible mitigation for mined lands will be to sufficiently prevent off route travel. Complete fencing of a route, to prevent public access to hazardous mine areas can be considered mitigation. Route closure due to private/state lands can possibly be avoided by building a new portion of route. New route construction is not analyzed under this DEIS.

### **Sensitive Species and Cultural Resources**

Federal laws and BLM policy require protection of sensitive resources, such as threatened and endangered species and their habitat and cultural resources. Areas that OHV recreation may adversely impact are best protected from such use by avoidance. These types of resources are best protected by not having routes bisect occupied or moderate- to high-potential habitat. Sensitive species and their habitat are also best protected by distance and adequate natural barriers. Cultural resources are similarly sensitive to OHV use impacts and can be managed in a manner analogous to sensitive plants and animals.

**Mitigation.** While avoidance is the preferred method to manage OHV use impacts, several strategies have also been documented to be successful in protecting sensitive resources. A combination of well-designed erosion control structures and corridor fencing has greatly reduced OHV use impacts to San Benito evening-primrose along the Clear Creek Canyon Road. It is not currently practical to eliminate the county road from the trail system. It is a well established route and OHV use impacts can generally be ameliorated by corridor fencing. Elsewhere, routes should be selected that do not bisect sensitive species habitat or cultural resources.

### **SBMRNA/ACEC/WSA**

The management of the expanded San Benito Mountain Research Natural Area (approximately 4,147 acres), including the Wilderness Study Area (WSA) CA-040-309 (1500ac), requires more restrictive use of OHV's. Pursuant to 43 CFR 8342.1(d) routes shall be located in Research Natural Areas only if the authorized officer determines that off-road vehicle use in such locations would not adversely affect the natural, esthetic, scenic, or other values for which the area was established. All affected routes were evaluated following the criteria presented for the SBMRNA/ACEC designation and are consistent with the SBMRNA/ACEC expansion criteria.

**Mitigation.** The primary objective of WSA management is to return the WSA's natural character essentially unaltered by humans during the time it is being managed as a WSA. The existing WSA designation allows vehicle use only on the county route (R011) and the "Ridge Route," now called R010, R012 and R013. No other routes will be considered within this 1500 acre area. For the existing RNA and proposed expanded RNA, designated routes may need to be fenced or otherwise limited to reduce potential impacts of OHV use off the designated route. No mitigation for considering additional routes is possible for the WSA, since only the current routes are authorized.

### **Interface with Closed and Proposed Closed Barrens**

A number of barrens have been closed along riparian corridors and within the WSA. Routes through barren areas are particularly susceptible to route proliferation and off route vehicle use. Routes through closed barrens will be avoided where possible.

**Mitigation.** Construction of fence or other barriers that control off-route use can be considered as mitigation for this criterion. Reroutes to avoid a particular barren or to change the location of the route to minimize impacts can also be considered.

## **Riparian Areas**

Riparian areas provide specialized habitat for several sensitive species and can act to filter sediments. Therefore, riparian areas are to be avoided and impacts from OHV use minimized to the extent practicable. Historically, a number of trails used streams as the primary route of travel and resulted in impacts to sensitive resources. This past practice is too destructive to be continued. Routes crossing streams can also be resource impairing, therefore the number of such crossings should be minimized. Sediment modeling conducted by PTI Environmental Services identified a number of sub-watersheds within the Clear Creek watershed that are projected to contribute particularly high levels of sediment into Clear Creek. It is especially important that these sub-watersheds be evaluated for opportunities to reduce sediment delivery into an active drainage.

**Mitigation.** Impacts to riparian zones can be minimized by reducing the number of stream crossings, changing their location and/or orientation of the crossing to the stream, or by changing the actual crossing by appropriate hardening or utilizing bridges. In using these mitigation measures, it is important to design stream crossings that maintain an adequate flow rate so as to discourage yellow-legged frogs from attaching egg masses at these high use areas.

## **Tier Two**

Criteria within this tier can also result in closure of a route. However, given sufficient recreation interest and available funds, actions can be taken to ameliorate most potential negative effects.

## **Erosion and Soil Loss Standards**

Routes can cause erosion within the route tread, and through concentrated runoff, to off-tread locations. The data for this criterion is gathered following guidance found in the California State Soil Loss Standards. Besides requirements for signing, route design, and soil sustainability, the standards also require corrective actions within specified timeframes.

**Mitigation.** Many of the implementation strategies are designed to reduce route use impacts, direct and indirect. Most maintenance and corrective actions are relatively inexpensive and can be accomplished in a timely manner with existing staff. Some corrective actions will need to be carefully justified by comparing costs with benefits. Other problem areas can be avoided by constructing reroutes.

## **Tier Three**

The criteria within this tier describe the level of recreation interest of a given route, and whether it contributes to the recreation opportunity and diversity of recreation experience within the entire CCMA.

## **OHV Use/Recreation Spectrum**

Route selection will consider linking visitor desires with recreation opportunities. Nearly all routes have some recreation value. Nevertheless, it is important that the open route network contributes to achieving the CCMA plan's resource condition objectives. Routes should be selected that provide a wide spectrum of recreation use throughout the CCMA and provide a variety of difficulty levels. Consideration will be given to the level of recreation interest, providing a diversity of trail types and experiences, and allowing for a variety of recreation activities.

#### **Tier Four**

This tier describes criteria focused on basic issues of route management, including maintenance, conflicting uses, official and administrative use, existing rights-of-way, and contribution to the overall route network. Consideration may be given, weighing of the costs of managing routes versus the recreation benefits of those routes.

#### **Route Management Objective (RMO)**

While the trail maintenance objective will not trigger a decision on whether to open or close a route, the objective does impact the cost (personnel and equipment) of keeping a route open. Similarly, the manageability of a route does not necessarily affect the resource impacts of its use, assuming the route is adequately managed. However, routes that are difficult to manage/maintain will be costly and given current budget constraints may need to be closed for this reason alone. Changing a route's management objective may sufficiently reduce the cost of its maintenance to allow for OHV use.

**Mitigation.** The primary way to mitigate the effect of this criteria on route closure are to reduce costs of maintenance, through either improved efficiency or use of volunteers, or by reducing the level of required maintenance by changing the route management objective.

#### **Administrative Use/Rights of Way**

This criterion considers non-recreation uses of a route such as access to a communication site, access to state or private lands, authorized uses, and valid existing rights-of-way. Recreation may not always be appropriate for these maintained routes. When this is the case, the route will be Limited to Administrative Use. Administrative use designations will not be available for casual recreation use. Use will be restricted to permittees, licensees, rights-of-way holders, Federal government and its' authorized representatives. These routes differ from closed routes in that they will be regularly maintained and will not be considered for reclamation.

**Mitigation.** Designation as administrative use with appropriate restrictions may reduce potential OHV impacts.

#### **Proliferation and Redundancy**

Route proliferation is clearly prohibited by the 1999 ROD. To the extent practicable, route designations should be used to reduce route proliferation. As it applies to this criterion, route proliferation pertains to whether the individual route may contribute to unauthorized use and the creation of new routes, or whether unauthorized use itself created the route. Determining whether or not a route is redundant requires considering several factors, including, RMO/trail type, proximity to sensitive resources, resource and user conflicts, proliferation, and contribution to route network.

**Mitigation.** Route proliferation can be reduced in some situations by barrier construction. Beyond the scope of this Final EIS is the possibility of rerouting a portion of a route to take advantage of existing natural or human-made barriers.

**Route Continuity**

Recreation use of OHV’s is the dominant form of recreation in the CCMA. However, a variety of recreation uses need to be accommodated through the route designation process. On a given trail, these various uses may be in conflict, possibly creating safety concerns in addition to visitor frustration. Some routes are dead ends which are advantageous for some uses, such as hunting or camping, but may result in route proliferation at the dead end by OHV use. Logically connecting routes are emphasized when considering recreational OHV use. Certain dead end routes and spur routes may be desirable with appropriate limitations on the use or types of vehicles.

**Mitigation.** Rather than arbitrarily close all dead end routes, BLM may install signs letting users know the route is a dead end, closed ahead, or designating certain limitations on OHV use.

**DATA ELEMENT DICTIONARY**

**Tier 1**

**1. Private/state lands/mines**

| Code  | Definition  |
|-------|---|
| 11000 | All BLM.  |
| 11010 | Some private, use o.k.                              |
| 11020 | Some state, use o.k.                                |
| 11030 | Some mine, use o.k.                                 |
| 11040 | Some private and state, use o.k.                    |
| 11050 | Some private and mine, use o.k.                     |
| 11060 | Some state and mine, use o.k.                       |
| 11070 | Some private, state and mine, use o.k.              |
| 11119 | Some private, use NOT o.k.                          |
| 11129 | Some state, use NOT o.k.                            |
| 11139 | Some mine, use NOT o.k.                             |
| 11149 | Some private and state, use NOT o.k.                |
| 11159 | Some private and mine, use NOT o.k.                 |
| 11169 | Some state and mine, use NOT o.k.                   |
| 11179 | Some private, state and mine, use NOT o.k.          |
| 11111 | Some private, use UNKNOWN.                          |
| 11121 | Some state, use UNKNOWN.                            |
| 11131 | Some mine, use UNKNOWN.                             |
| 11141 | Some private and state, use UNKNOWN.                |
| 11151 | Some private and mine, use UNKNOWN.                 |
| 11161 | Some state and mine, use UNKNOWN.                   |
| 11171 | Some private, state and mine, use UNKNOWN.          |
| 11212 | Some private, POTENTIAL MITIGATION                  |
| 11222 | Some state, POTENTIAL MITIGATION.                   |
| 11232 | Some mine, POTENTIAL MITIGATION.                    |
| 11242 | Some private and state, POTENTIAL MITIGATION.       |
| 11252 | Some private and mine, POTENTIAL MITIGATION.        |
| 11262 | Some state and mine, POTENTIAL MITIGATION.          |
| 11272 | Some private, state and mine, POTENTIAL MITIGATION. |
| 9999  | NO DATA AVAILABLE                                   |
| TEXT  | TEXT DESCRIPTION OF MITIGATION PROPOSAL             |

**2. Sensitive species and Cultural**

| Code  | Definition   |
|-------|--|
| 12000 | No known conflicts.  |
| 12010 | Plants nearby, use o.k.                                    |
| 12020 | Animals nearby, use o.k.                                   |
| 12030 | Cultural nearby, use o.k.                                  |
| 12040 | Plants and animals nearby, use o.k.                        |
| 12050 | Plants and cultural nearby, use o.k.                       |
| 12060 | Animals and cultural nearby, use o.k.                      |
| 12070 | Plants, animals and cultural nearby, use o.k.              |
| 12119 | Plants nearby, use NOT o.k.                                |
| 12129 | Animals nearby, use NOT o.k.                               |
| 12139 | Cultural nearby, use NOT o.k.                              |
| 12149 | Plants and animals nearby, use NOT o.k.                    |
| 12159 | Plants and cultural nearby, use NOT o.k.                   |
| 12169 | Animals and cultural nearby, use NOT o.k.                  |
| 12179 | Plants, animals and cultural nearby, use NOT o.k.          |
| 12212 | Plants nearby, POTENTIAL MITIGATION.                       |
| 12222 | Animals nearby, POTENTIAL MITIGATION.                      |
| 12232 | Cultural nearby, POTENTIAL MITIGATION.                     |
| 12242 | Plants and animals nearby, POTENTIAL MITIGATION.           |
| 12252 | Plants and cultural nearby, POTENTIAL MITIGATION.          |
| 12262 | Animals and cultural nearby, POTENTIAL MITIGATION.         |
| 12272 | Plants, animals and cultural nearby, POTENTIAL MITIGATION. |
| 9999  | NO DATA AVAILABLE  |
| TEXT  | TEXT DESCRIPTION OF MITIGATION PROPOSAL                    |

**3. RNA/WSA**

| Code  | Definition                              |
|-------|---|
| 13000 | No known conflicts.                     |
| 13010 | RNA nearby, use o.k.                    |
| 13020 | WSA nearby, use o.k.                    |
| 13030 | RNA and WSA nearby, use o.k.            |
| 13119 | RNA nearby, use NOT o.k.                |
| 13129 | WSA nearby, use NOT o.k.                |
| 13139 | RNA and WSA nearby, use NOT o.k.        |
| 13212 | RNA nearby, POTENTIAL MITIGATION.       |
| 9999  | NO DATA AVAILABLE                       |
| TEXT  | TEXT DESCRIPTION OF MITIGATION PROPOSAL |

**4. Barrens Interface**

| Code  | Definition                              |
|-------|---|
| 14000 | No known conflicts.                     |
| 14010 | Barren nearby, use o.k.                 |
| 14119 | Barren nearby, use NOT o.k.             |
| 14212 | Barren nearby, POTENTIAL MITIGATION.    |
| 9999  | NO DATA AVAILABLE                       |
| TEXT  | TEXT DESCRIPTION OF MITIGATION PROPOSAL |

**5. Riparian Areas**

| Code  | Definition                              |
|-------|---|
| 15000 | No known conflicts.                     |
| 15010 | Riparian nearby, use o.k.               |
| 15119 | Riparian nearby, use NOT o.k.           |
| 15212 | Riparian nearby, POTENTIAL MITIGATION.  |
| 9999  | NO DATA AVAILABLE                       |
| TEXT  | TEXT DESCRIPTION OF MITIGATION PROPOSAL |

**Tier 2**

**6. Erosion, Soil Loss Standard**

| Code  | Definition                              |
|-------|---|
| 16000 | No known conflicts (Green)              |
| 16010 | Yellow, use o.k.                        |
| 16020 | Red, use o.k.                           |
| 16119 | Red, use NOT o.k.                       |
| 16212 | Red, POTENTIAL MITIGATION.              |
| 9999  | NO DATA AVAILABLE                       |
| TEXT  | TEXT DESCRIPTION OF MITIGATION PROPOSAL |

**Tier 3**

**7. OHV use/use spectrum**

| Code  | Definition  |
|-------|---|
| 17000 | No known conflicts – contributes to use spectrum. |
| 17119 | Does NOT contribute to use spectrum.              |
| 17010 | Recreation Conflicts – Limited Use o.k.           |
| 9999  | NO DATA AVAILABLE                                 |
| TEXT  | TEXT DESCRIPTION OF MITIGATION PROPOSAL           |

**Tier 4**

**8. Route Management Objective (RMO)**

| Code  | Definition   |
|-------|--|
| 18000 | No known conflicts – manageable given current RMO and funding/staffing levels. |
| 18119 | Not manageable due to physical conditions, use NOT o.k.                        |
| 18212 | Not manageable due to physical conditions, POTENTIAL MITIGATION (reroute)      |
| 18222 | Not manageable due to RMO, POTENTIAL MITIGATION.                               |
| 18232 | Not manageable due to funding/staffing, POTENTIAL MITIGATION.                  |
| 9999  | NO DATA AVAILABLE  |
| TEXT  | TEXT DESCRIPTION OF MITIGATION PROPOSAL  |

**9. Admin Use/ROW's**

| Code  | Definition  |
|-------|---|
| 19000 | No known conflicts                                |
| 19119 | Traverses private, no public access, use NOT o.k. |
| 19129 | Unprotected facility, use NOT o.k.                |
| 19212 | Private route, POTENTIAL MITIGATION.              |
| 19222 | Unprotected facility, POTENTIAL MITIGATION.       |
| 19139 | Other Conflicts (specify below), use NOT o.k.     |
| 9999  | NO DATA AVAILABLE                                 |
| TEXT  | TEXT DESCRIPTION OF MITIGATION PROPOSAL           |

**10. Route Proliferation/redundancy**

| Code   | Definition  |
|--------|---|
| 110000 | No known conflicts                                    |
| 110119 | Presently excessive route proliferation, use NOT o.k. |
| 110129 | Route is redundant, use NOT o.k.                      |
| 110212 | Route proliferation, POTENTIAL MITIGATION.            |
| 110222 | Route redundant, POTENTIAL MITIGATION.                |
| 9999   | NO DATA AVAILABLE                                     |
| TEXT   | TEXT DESCRIPTION OF MITIGATION PROPOSAL               |

**11. Route Continuity**

| Code   | Definition  |
|--------|---|
| 111000 | No known conflicts, promotes OHV continuity/connectivity. |
| 111010 | Dead end route, all use o.k.                              |
| 111020 | Dead end route, Limited Use o.k.                          |
| 111119 | Dead end route, OHV use NOT o.k.                          |
| 111212 | Dead end route, POTENTIAL MITIGATION.                     |
| 9999   | NO DATA AVAILABLE   |
| TEXT   | TEXT DESCRIPTION OF MITIGATION PROPOSAL                   |

ROUTE DESIGNATION RECORD

| Route Number | Route Length Miles | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |
|--------------|--------------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|
|              |                    |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |
|              |                    |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |
| R001         | 9.4                | IMP       | County            | 11010                         | 12212 | 13010 | 14212 | 15010 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| R002         | 6.9                | 4WD       | OPEN              | 11050                         | 12212 | 13000 | 14212 | 15000 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| R003         | 0.3                | 4WD       | OPEN              | 11000                         | 12212 | 13000 | 14212 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| R004         | 1.0                | 4WD       | OPEN              | 11010                         | 12000 | 13000 | 14212 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| R005         | 5.8                | 4WD       | OPEN              | 11020                         | 12000 | 13000 | 14212 | 15212 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| R006         | 1.0                | 4WD       | OPEN              | 11000                         | 12000 | 13000 | 14010 | 15212 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| R007A        | 2.1                | JEEP      | OPEN              | 11000                         | 12000 | 13000 | 14212 | 15010 | 16212 | 17000 | 18000  | 19000 | 110000 | 111010 |
| R007B        | 1.8                | JEEP      | CLOSED *          | 11000                         | 12000 | 13000 | 14212 | 15010 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| R008A        | 1.5                | 4WD       | OPEN              | 11000                         | 12212 | 13000 | 14212 | 15212 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| R008B        | 2.0                | 4WD       | CLOSED            | 11010                         | 12212 | 13000 | 14212 | 15212 | 16119 | 17000 | 18000  | 19000 | 110000 | 111000 |
| R009         | 0.9                | IMPR      | CLOSED *          | 11010                         | 12000 | 13000 | 14212 | 15000 | 16212 | 17000 | 18212  | 19000 | 110222 | 111000 |
| R010A        | 1.6                | JEEP      | OPEN              | 11020                         | 12212 | 13212 | 14212 | 15000 | 16010 | 17000 | 18000  | 19000 | 110222 | 111000 |
| R010B        | 0.9                | JEEP      | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| R010C        | 2.7                | JEEP      | CLOSED *          | 11000                         | 12149 | 13119 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| R011         | 9.5                | IMPR      | County            | 11010                         | 12212 | 13212 | 14212 | 15212 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| R011         | 4.7                | IMPR      | OPEN              | 11010                         | 12212 | 13212 | 14212 | 15212 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| R011         | 1.9                | IMPR      | CLOSED*           | 11119                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| R012         | 0.4                | 4WD       | CLOSED*           | 11000                         | 12000 | 13212 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| R013         | 1.1                | 4WD       | OPEN              | 11000                         | 12000 | 13010 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| R014         | 1.3                | JEEP      | OPEN              | 11030                         | 12000 | 13000 | 14212 | 15000 | 16010 | 17000 | 18232  | 19000 | 110000 | 111000 |
| R015A        | 2.7                | IMPR      | County            | 11010                         | 12000 | 13000 | 14212 | 15000 | 16010 | 17000 | 18232  | 19000 | 110000 | 111000 |
| R015B        | 2.1                | IMPR      | County            | 11010                         | 12212 | 13000 | 14212 | 15212 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| R016         | 2.5                | JEEP      | OPEN              | 11070                         | 9999  | 13000 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111010 |
| R017         | 1.8                | JEEP      | LIMITED           | 11020                         | 12232 | 13000 | 14000 | 15212 | 16212 | 17010 | 18000  | 19000 | 110000 | 111000 |
| R018         | 2.8                | JEEP      | LIMITED           | 11020                         | 12010 | 13000 | 14000 | 15000 | 16010 | 17010 | 18000  | 19000 | 110000 | 111020 |
| R019A        | 6.8                | IMPR      | CLOSED*           | 11139                         | 12119 | 13000 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| R019B        | 1.4                | IMPR      | CLOSED*           | 11139                         | 12000 | 13000 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| R019C        | 0.2                | IMPR      | OPEN              | 11010                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length Miles | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |
|--------------|--------------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|
|              |                    |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |
|              |                    |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |
| R019F        | 0.4                | IMPR      | OPEN              | 11010                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T101         | 1.5                | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T103         | 1.4                | JEEP      | OPEN              | 11000                         | 12212 | 13000 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T104         | 4.5                | JEEP      | OPEN              | 11000                         | 12212 | 13000 | 14212 | 15000 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T105         | 1.0                | JEEP      | OPEN              | 11000                         | 12212 | 13000 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T106         | 0.9                | ATV       | OPEN              | 11000                         | 12212 | 13000 | 14000 | 15212 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T107         | 1.6                | JEEP      | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T108         | 1.0                | ATV       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15212 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T109         | 0.7                | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T110         | 0.9                | JEEP      | CLOSED            | 11139                         | 12000 | 13000 | 14000 | 15212 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T111         | 0.9                | JEEP      | OPEN              | 11000                         | 12000 | 13000 | 14010 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T112         | 0.5                | ATV       | OPEN              | 11000                         | 12212 | 13000 | 14212 | 15000 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T113         | 1.5                | ATV       | OPEN              | 11010                         | 12212 | 13000 | 14212 | 15010 | 16212 | 17000 | 18000  | 19000 | 110222 | 111000 |
| T114         | 1.2                | STT       | OPEN              | 11000                         | 12010 | 13000 | 14212 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T115         | 2.1                | JEEP      | OPEN              | 11010                         | 12212 | 13000 | 14212 | 15000 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T116         | 2.6                | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T117         | 1.3                | STT       | OPEN              | 11010                         | 12000 | 13000 | 14212 | 15212 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T118         | 0.2                | STT       | CLOSED            | 11139                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T119         | 1.2                | ATV       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T120         | 1.7                | JEEP      | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T121         | 0.4                | ATV       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T122         | 0.5                | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15212 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T123         | 0.3                | STT       | OPEN              | 11000                         | 12212 | 13000 | 14000 | 15212 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T124A        | 1.5                | STT       | OPEN              | 11000                         | 12000 | 13000 | 14212 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T124B        | 1.3                | STT       | OPEN              | 11000                         | 12000 | 13212 | 14212 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T125         | 4.9                | ATV       | OPEN              | 11050                         | 12212 | 13000 | 14212 | 15212 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T126         | 1.2                | STT       | OPEN              | 11050                         | 12212 | 13000 | 14212 | 15212 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |         |
|--------------|--------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|---------|
|              |              |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |         |
|              |              |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11      |
| T127         | 0.4          | STT       | OPEN              | 11010                         | 12212 | 13000 | 14212 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000  |
| T128         | 1.9          | ATV       | OPEN              | 11010                         | 12212 | 13000 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000  |
| T129         | 0.8          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14212 | 15000 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000  |
| T130         | 0.7          | STT       | CLOSED            | 11000                         | 12212 | 13000 | 14212 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 1111190 |
| T131         | 0.6          | STT       | CLOSED            | 11010                         | 12000 | 13000 | 14212 | 15000 | 16219 | 17000 | 18232  | 19000 | 110000 | 111000  |
| T132         | 1.2          | JEEP      | OPEN              | 11010                         | 12000 | 13000 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000  |
| T133         | 0.3          | JEEP      | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000  |
| T134         | 1.1          | JEEP      | OPEN              | 11000                         | 12212 | 13000 | 14212 | 15212 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000  |
| T135         | 1.1          | STT       | OPEN              | 11000                         | 12212 | 13000 | 14212 | 15212 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000  |
| T136         | 0.5          | JEEP      | CLOSED            | 11000                         | 12212 | 13000 | 14212 | 15212 | 16119 | 17000 | 18000  | 19000 | 110222 | 111000  |
| T137         | 2.7          | STT       | OPEN              | 11010                         | 12000 | 13000 | 14212 | 15212 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000  |
| T138         | 0.7          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14212 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000  |
| T139         | 0.8          | JEEP      | OPEN              | 11000                         | 12212 | 13000 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000  |
| T140         | 0.8          | JEEP      | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000  |
| T141         | 1.0          | JEEP      | OPEN              | 11030                         | 12000 | 13000 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000  |
| T142         | 0.7          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14212 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000  |
| T143         | 1.3          | JEEP      | OPEN              | 11000                         | 12000 | 13000 | 14212 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000  |
| T144         | 1.1          | STT       | CLOSED            | 11010                         | 12212 | 13000 | 14212 | 15119 | 16119 | 17000 | 18000  | 19000 | 110000 | 111000  |
| T145         | 2.1          | STT       | CLOSED            | 11010                         | 12212 | 13000 | 14212 | 15119 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000  |
| T147         | 1.0          | JEEP      | OPEN              | 11000                         | 12212 | 13000 | 14212 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000  |
| T148         | 1.5          | JEEP      | OPEN              | 11020                         | 12000 | 13000 | 14212 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000  |
| T149A        | 0.3          | JEEP      | OPEN              | 11020                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000  |
| T149B        | 0.3          | JEEP      | CLOSED            | 11030                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17119 | 18000  | 19000 | 110000 | 111000  |
| T150         | 1.2          | JEEP      | OPEN              | 11020                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000  |
| T151A        | 5.1          | 4WD       | OPEN              | 11142                         | 12212 | 13000 | 14212 | 15212 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000  |
| T151B        | 1.2          | 4WD       | CLOSED            | 11119                         | 12149 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000  |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |
|--------------|--------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|
|              |              |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |
|              |              |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |
| T152         | 0.5          | ATV       | CLOSED            | 11159                         | 12212 | 13000 | 14212 | 15000 | 16119 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T153         | 3.0          | JEEP      | OPEN              | 11252                         | 12212 | 13212 | 14212 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T154         | 0.8          | STT       | CLOSED            | 11159                         | 12000 | 13000 | 14000 | 15000 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T155         | 3.2          | ATV       | CLOSED            | 11159                         | 12212 | 13212 | 14212 | 15000 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T156         | 0.4          | ATV       | CLOSED            | 11000                         | 12000 | 13119 | 14212 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T157         | 1.2          | JEEP      | CLOSED            | 11119                         | 12212 | 13212 | 14212 | 15212 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T158A        | 1.4          | 4WD       | County            | 11010                         | 12212 | 13212 | 14212 | 15212 | 16212 | 17010 | 18000  | 19000 | 110000 | 111000 |
| T158B        | 1.0          | 4WD       | County            | 11000                         | 12212 | 13212 | 14212 | 15212 | 16212 | 17010 | 18000  | 19000 | 110000 | 111000 |
| T159         | 3.5          | JEEP      | OPEN              | 11000                         | 12212 | 13000 | 14212 | 15000 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T160         | 0.2          | JEEP      | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16119 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T161         | 0.2          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111119 |
| T162         | 0.6          | STT       | OPEN              | 11000                         | 12000 | 13212 | 14000 | 15212 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T163         | 1.5          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14212 | 15000 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T164         | 1.6          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15212 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T165         | 1.0          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14212 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T166         | 5.0          | STT       | OPEN              | 11010                         | 12000 | 13000 | 14000 | 15212 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T167         | 0.8          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14212 | 15000 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T168         | 1.1          | JEEP      | OPEN              | 11010                         | 12000 | 13000 | 14000 | 15000 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T169         | 1.2          | ATV       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T170         | 0.4          | IMPR      | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T171A        | 2.3          | ATV       | LIMITED           | 11000                         | 12030 | 13000 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T171B        | 2.2          | JEEP      | LIMITED           | 11000                         | 12030 | 13000 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T172A        | 0.7          | JEEP      | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16119 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T172B        | 0.2          | JEEP      | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16119 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T173         | 1.1          | STT       | CLOSED            | 11119                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |
|--------------|--------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|
|              |              |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |
|              |              |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |
| T175         | 0.9          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T176         | 1.1          | ATV       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T177A        | 0.7          | STT       | CLOSED            | 11119                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T177B        | 0.8          | ATV       | CLOSED            | 11119                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T178         | 2.0          | ATV       | OPEN              | 11000                         | 12010 | 13000 | 14212 | 15212 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T179         | 0.1          | JEEP      | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T181         | 3.2          | STT       | OPEN              | 11000                         | 12010 | 13000 | 14000 | 15212 | 16212 | 17000 | 18000  | 19000 | 110212 | 111000 |
| T182         | 0.7          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T183         | 1.3          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T184         | 6.0          | STT       | OPEN              | 11000                         | 12212 | 13000 | 14212 | 15212 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T185         | 0.6          | STT       | OPEN              | 11000                         | 12212 | 13000 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T188         | 1.2          | STT       | CLOSED            | 11139                         | 12212 | 13000 | 14000 | 15000 | 16000 | 17119 | 18000  | 19000 | 110000 | 111119 |
| T189A        | 0.9          | JEEP      | OPEN              | 11000                         | 12212 | 13000 | 14212 | 15000 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T189B        | 0.6          | JEEP      | OPEN              | 11000                         | 12212 | 13000 | 14212 | 15000 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T189C        | 3.2          | ATV       | OPEN              | 11000                         | 12212 | 13000 | 14212 | 15000 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T190         | 1.0          | STT       | CLOSED            | 11139                         | 12000 | 13000 | 14000 | 15000 | 16119 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T191         | 2.1          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T192         | 0.3          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T193         | 2.8          | STT       | OPEN              | 11000                         | 12000 | 13212 | 14212 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T194         | 2.3          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T195         | 0.8          | STT       | OPEN              | 11010                         | 12000 | 13000 | 14000 | 15000 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T196         | 0.3          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T197         | 0.5          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T198         | 2.4          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T199         | 0.6          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T200         | 0.6          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15212 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T201         | 0.5          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |
|--------------|--------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|
|              |              |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |
|              |              |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |
| T202         | 0.6          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T203         | 1.5          | STT       | OPEN              | 11010                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T204         | 0.8          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T205         | 0.8          | STT       | OPEN              | 11010                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T206         | 1.4          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T207         | 0.4          | STT       | OPEN              | 11020                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T208         | 2.3          | STT       | OPEN              | 11010                         | 12000 | 13000 | 14000 | 15000 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T209         | 2.0          | ATV       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T210         | 1.6          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15212 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T211         | 1.2          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15212 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T212         | 2.8          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| T213         | 1.5          | ATV       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15212 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T214         | 0.4          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T215         | 1.1          | ATV       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15212 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T216         | 6.0          | ATV       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15212 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T217A        | 0.1          | ATV       | CLOSED*           | 11119                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19119 | 110000 | 111000 |
| T217B        | 0.7          | ATV       | CLOSED            | 11119                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19119 | 110000 | 111000 |
| T218         | 1.5          | STT       | OPEN              | 11000                         | 12212 | 13000 | 14000 | 15212 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T219         | 1.1          | ATV       | LIMITED           | 11000                         | 12000 | 13000 | 14000 | 15212 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T220         | 3.6          | JEEP      | LIMITED           | 11000                         | 12000 | 13000 | 14000 | 15212 | 16010 | 17000 | 18000  | 19222 | 110000 | 111000 |
| T221         | 0.7          | JEEP      | LIMITED           | 11000                         | 12000 | 13000 | 14000 | 15212 | 16010 | 17000 | 18000  | 19222 | 110000 | 111000 |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |
|--------------|--------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|
|              |              |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |
|              |              |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |
| T222         | 0.8          | STT       | OPEN              | 11020                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T223         | 0.7          | STT       | OPEN              | 11020                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T224         | 1.7          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T225         | 1.1          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T226         | 1.6          | STT       | OPEN              | 11000                         | 12212 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T227         | 0.4          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T228         | 0.4          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T229         | 0.7          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T230         | 0.1          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T231         | 0.4          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T232         | 0.2          | IMPR      | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T233         | 0.2          | 4WD       | CLOSED*           | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19119 | 110000 | 111119 |
| T233F        | 0.1          | 4WD       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T234         | 0.7          | ATV       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T235         | 1.5          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16212 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T236         | 1.0          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15212 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T237         | 1.8          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T238         | 0.4          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T239         | 0.4          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T240         | 0.6          | 4WD       | CLOSED*           | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T241         | 0.6          | STT       | OPEN              | 11010                         | 12212 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T242         | 1.2          | STT       | CLOSED            | 11000                         | 12119 | 13000 | 14000 | 15212 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |
|--------------|--------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|
|              |              |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |
|              |              |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |
| T243         | 1.2          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T244         | 0.5          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T245         | 0.7          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T246         | 0.2          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T247         | 0.3          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T248         | 0.2          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T249         | 0.2          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T250         | 0.4          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T251         | 0.3          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T252         | 0.2          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T253         | 0.2          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T254         | 0.4          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T255         | 0.4          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T256         | 0.4          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T257         | 0.2          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T258         | 0.4          | JEEP      | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T259         | 0.4          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T260         | 0.3          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T261         | 0.9          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T262         | 0.1          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T263         | 0.6          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T264         | 0.7          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T265         | 0.2          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| T266         | 2.9          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17119 | 18000  | 19000 | 110129 | 111000 |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |        |
|--------------|--------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|--------|
|              |              |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |        |
|              |              |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |        |
| OR001        | 1.0          | STT       | CLOSED            | 11010                         |       |       |       |       |       | 16010 | 17119  |       |        |        |        |
| OR002        | 0.3          | STT       | CLOSED            |                               |       |       |       |       |       |       | 17119  |       |        |        |        |
| OR003        | 0.4          | STT       | CLOSED            | 11159                         |       |       |       |       |       |       |        |       |        |        |        |
| OR004        | 0.2          | ATV       | CLOSED            |                               |       |       |       |       |       |       | 17119  |       |        |        |        |
| OR005        | 0.3          | STT       | CLOSED            |                               | 12119 |       |       |       |       | 16119 |        |       |        |        |        |
| OR006        | 0.1          | STT       | CLOSED            |                               | 12119 |       |       |       |       | 16010 |        |       |        |        |        |
| OR007        | 0.05         | STT       | CLOSED            |                               |       |       |       |       |       |       | 17119  |       |        |        |        |
| OR009        | 0.1          | STT       | CLOSED            |                               |       |       |       |       |       | 16019 | 17119  |       |        |        |        |
| OR010        | 0.2          | STT       | CLOSED            | 11119                         |       |       |       |       |       | 16010 |        |       |        |        |        |
| OR014        | 0.7          | STT       | CLOSED            | 11119                         | 12119 |       |       |       |       | 16119 |        |       |        |        |        |
| OR015        | 0.2          | STT       | CLOSED            |                               | 12119 |       |       |       |       |       | 17119  |       |        |        |        |
| OR016        | 0.6          | STT       | CLOSED            |                               |       |       |       |       |       | 16010 | 17119  |       |        |        |        |
| OR017        | 0.1          | JEEP      | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |        |
| OR019        | 0.1          | STT       | CLOSED            |                               |       |       |       |       |       |       | 17119  |       |        | 110119 |        |
| OR020        | 0.7          | STT       | CLOSED            | 11119                         | 12119 |       |       |       |       | 16119 |        |       |        |        |        |
| OR021        | 0.2          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16119 | 17119 | 18000  | 19000 | 110000 | 111000 |        |
| OR022        | 0.2          | STT       | CLOSED            |                               |       |       |       |       | 16119 | 17119 |        |       |        |        |        |
| OR024        | 0.02         | STT       | CLOSED            |                               | 12119 |       |       |       |       |       | 17119  |       |        |        |        |
| OR025        | 0.7          | JEEP      | CLOSED            | 11119                         | 12119 |       |       |       |       |       |        |       |        |        | 111119 |
| OR029        | 0.6          | JEEP      | CLOSED            |                               |       |       |       |       |       |       |        |       |        |        | 111119 |
| OR031        | 0.7          | ATV       | CLOSED            |                               |       |       |       |       |       |       |        |       |        | 110129 |        |
| OR032        | 0.1          | ATV       | CLOSED            |                               |       |       |       |       |       |       |        |       |        | 110129 |        |
| OR033        | 0.3          | ATV       | CLOSED            |                               |       |       |       |       |       |       |        |       |        |        | 111119 |
| OR035        | 0.1          | STT       | CLOSED            |                               |       |       |       |       |       |       |        |       |        | 110129 |        |
| OR036        | 2.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111119 |        |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |        |
|--------------|--------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|--------|
|              |              |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |        |
|              |              |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |        |
| OR040        | 0.3          | STT       | CLOSED            | 11119                         |       |       |       |       |       |       |        |       |        |        |        |
| OR041        | 0.6          | STT       | CLOSED            |                               |       |       |       |       |       |       |        |       |        |        | 111119 |
| OR042        | 0.3          | STT       | CLOSED            |                               |       |       |       |       |       |       | 17119  | 18000 | 19000  | 110129 | 111000 |
| OR044        | 0.04         | ATV       | CLOSED            |                               |       |       |       |       |       |       | 17119  |       |        |        | 111119 |
| OR045        | 1.1          | STT       | CLOSED            |                               |       |       |       |       |       |       |        |       |        |        | 111119 |
| OR046        | 1.6          | STT       | CLOSED            |                               |       |       |       |       | 16119 |       |        |       |        |        |        |
| OR047        | 0.5          | STT       | CLOSED            | 11169                         |       |       |       |       |       |       |        |       |        |        |        |
| OR048        | 0.7          | STT       | CLOSED            | 11169                         |       |       |       |       |       |       |        |       |        |        |        |
| OR049        | 0.3          | STT       | CLOSED            | 11119                         |       |       |       |       |       |       |        |       |        | 110129 |        |
| OR050        | 0.7          | STT       | CLOSED            | 11119                         |       |       |       |       |       |       |        |       |        | 110129 |        |
| OR051        | 0.8          | STT       | CLOSED            |                               |       |       |       |       |       |       |        |       |        |        | 111119 |
| OR052        | 0.2          | STT       | CLOSED            |                               |       |       |       |       |       |       |        |       |        |        | 111119 |
| OR053        | 0.2          | ATV       | CLOSED            | 11119                         | 12119 |       |       |       |       |       |        |       |        | 110129 |        |
| OR056        | 0.9          | STT       | CLOSED            | 11169                         |       |       |       |       | 16119 |       |        |       |        |        | 111119 |
| OR057        | 0.2          | JEEP      | CLOSED            | 11119                         |       |       |       |       | 16119 |       |        |       |        | 110129 |        |
| OR058        | 5.6          | JEEP      | CLOSED            | 11119                         | 12119 |       |       | 15119 | 16000 | 17119 |        |       |        |        |        |
| OR059        | 0.6          | JEEP      | CLOSED            | 11159                         |       |       |       |       |       |       |        |       |        |        | 111119 |
| OR062        | 0.1          | STT       | CLOSED            | 11119                         |       |       |       |       |       |       |        |       |        |        | 111119 |
| OR063        | 0.03         | ATV       | CLOSED            |                               |       |       |       |       |       |       |        |       |        |        |        |
| OR065        | 0.2          | STT       | CLOSED            | 11159                         |       |       |       |       |       | 17119 |        |       |        | 110129 |        |
| OR069        | 0.3          | STT       | CLOSED            |                               | 12119 |       |       |       |       |       |        |       |        | 110129 |        |
| OR070        | 0.2          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |        |
| OR071        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16010 | 17119 |        |       |        | 110129 |        |
| OR073        | 0.2          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17119 | 18000  | 19000 | 110000 | 111000 |        |
| OR075        | 0.2          | STT       | CLOSED            | 11119                         |       |       |       |       |       |       |        |       |        |        | 111119 |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |
|--------------|--------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|
|              |              |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |
|              |              |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |
| OR081        | 0.5          | STT       | CLOSED            | 11159                         |       |       |       |       |       | 16119 |        |       |        |        |
| OR082        | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17119 | 18000  | 19000 | 110129 | 111000 |
| OR083        | 0.3          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17119 | 18000  | 19000 | 110129 | 111119 |
| OR084        | 0.4          | STT       | CLOSED            | 11119                         | 12119 |       |       |       |       | 16119 |        |       |        |        |
| OR085        | 0.2          | STT       | CLOSED            | 11139                         | 12129 |       |       | 15119 | 16000 | 17119 |        |       | 110129 |        |
| OR086        | 0.4          | STT       | CLOSED            | 11139                         | 12119 |       |       |       |       | 17119 |        |       | 110129 |        |
| OR087        | 0.2          | STT       | CLOSED            |                               |       |       |       |       |       |       |        |       |        | 111119 |
| OR088        | 0.2          | STT       | CLOSED            | 11139                         |       |       |       |       |       |       |        |       |        |        |
| OR089        | 0.2          | STT       | CLOSED            |                               |       |       |       |       |       |       |        |       | 110129 |        |
| OR090        | 0.3          | STT       | CLOSED            |                               |       |       |       |       |       |       |        |       | 110129 |        |
| OR091        | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17119 | 18000  | 19000 | 110000 | 111000 |
| OR093        | 0.1          | STT       | CLOSED            |                               |       |       |       |       |       | 17119 |        |       | 110129 |        |
| OR094        | 0.1          | STT       | CLOSED            |                               |       |       |       |       |       | 17119 |        |       | 110129 |        |
| OR096        | 0.1          | STT       | CLOSED            |                               |       |       |       |       |       | 17119 |        |       | 110129 |        |
| OR097        | 0.1          | STT       | CLOSED            | 11139                         |       |       |       |       |       | 17119 |        |       | 110129 |        |
| OR098        | 0.7          | STT       | CLOSED            | 11139                         |       |       |       |       |       |       |        |       |        |        |
| OR099        | 0.4          | STT       | CLOSED            | 11139                         |       |       |       |       |       |       |        |       |        |        |
| OR100        | 0.1          | STT       | CLOSED            | 11139                         | 12119 |       |       |       |       | 16010 |        |       |        |        |
| OR101        | 0.3          | STT       | CLOSED            | 11139                         | 12119 |       |       |       |       |       |        |       |        |        |
| OR102        | 0.1          | ATV       | CLOSED            |                               |       |       |       |       |       |       |        |       | 110129 |        |
| OR103        | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17119 | 18119  | 19000 | 110129 | 111000 |
| OR104        | 0.8          | STT       | CLOSED            |                               |       |       |       |       |       | 16119 |        |       |        |        |
| OR105        | 0.3          | STT       | CLOSED            |                               |       |       |       |       |       |       |        |       |        | 111119 |
| OR106        | 0.3          | STT       | CLOSED            |                               |       |       |       |       |       |       |        |       | 110129 |        |
| OR107        | 0.1          | JEOP      | CLOSED            |                               |       |       |       |       |       | 16101 |        |       | 110129 |        |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |        |
|--------------|--------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|--------|
|              |              |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |        |
|              |              |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |        |
| OR108        | 0.1          | STT       | CLOSED            |                               |       |       |       |       |       |       |        |       |        | 110129 |        |
| OR109        | 0.2          | STT       | CLOSED            |                               |       |       |       |       |       |       |        |       |        | 110129 |        |
| OR110        | 0.1          | STT       | CLOSED            |                               |       |       |       |       |       |       |        |       |        | 110129 |        |
| OR111        | 0.3          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |        |
| OR113        | 0.3          | STT       | CLOSED            |                               |       |       |       |       | 16010 | 17119 |        |       |        |        |        |
| OR114        | 0.01         | ATV       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |        |
| OR115        | 0.7          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |        |
| OR116        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |        |
| OR117        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        | 111119 |
| OR118        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        | 111119 |
| OR119        | 0.2          | STT       | CLOSED            | 11139                         | 12119 |       |       |       | 16000 | 17119 |        |       |        |        |        |
| OR121        | 0.04         | STT       | CLOSED            | 11139                         | 12119 |       |       |       | 16000 | 17119 |        |       |        |        |        |
| OR122        | 0.3          | ATV       | CLOSED            |                               | 12119 |       |       |       | 16000 | 17119 |        |       |        |        |        |
| OR123        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16119 | 17119 |        |       |        |        |        |
| OR124        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16119 | 17119 |        |       |        |        |        |
| OR126        | 1.4          | STT       | CLOSED            | 11139                         |       |       |       |       | 16119 | 17119 |        |       |        |        |        |
| OR127        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |        |
| OR128        | 0.3          | STT       | CLOSED            | 11010                         |       |       |       |       | 16000 | 17119 |        |       |        | 110129 |        |
| OR129        | 0.04         | STT       | CLOSED            |                               |       |       |       |       | 16000 |       |        |       |        |        | 111119 |
| OR130        | 0.04         | STT       | CLOSED            |                               |       |       |       |       | 16000 |       |        |       |        |        | 111119 |
| OR133        | 1.2          | STT       | CLOSED            | 11119                         |       |       |       |       | 16000 | 17119 |        |       |        | 110129 |        |
| OR134        | 0.1          | JEEP      | CLOSED            |                               |       |       |       |       | 16000 |       |        |       |        |        | 111119 |
| OR135        | 0.5          | ATV       | CLOSED            | 11119                         | 12119 |       |       |       | 16119 |       |        |       |        |        | 111119 |
| OR136        | 0.1          | ATV       | CLOSED            |                               |       |       |       |       | 16000 |       |        |       |        |        | 111119 |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |   |       |   |   |       |       |        |   |    |        |
|--------------|--------------|-----------|-------------------|-------------------------------|---|-------|---|---|-------|-------|--------|---|----|--------|
|              |              |           |                   | Tier 1                        |   |       |   |   | 2     | 3     | Tier 4 |   |    |        |
|              |              |           |                   | 1                             | 2 | 3     | 4 | 5 | 6     | 7     | 8      | 9 | 10 | 11     |
| OR137        | 0.1          | STT       | CLOSED            |                               |   |       |   |   | 16119 | 17119 |        |   |    |        |
| OR138        | 0.1          | STT       | CLOSED            |                               |   |       |   |   | 16000 |       |        |   |    | 111119 |
| OR139        | 0.2          | STT       | CLOSED            |                               |   |       |   |   | 16000 | 17119 |        |   |    |        |
| OR140        | 0.1          | STT       | CLOSED            |                               |   |       |   |   | 16000 | 17119 |        |   |    |        |
| OR142        | 0.3          | STT       | CLOSED            |                               |   |       |   |   | 16000 | 17119 |        |   |    |        |
| OR143        | 0.2          | STT       | CLOSED            |                               |   |       |   |   | 16000 | 17119 |        |   |    |        |
| OR144        | 0.1          | STT       | CLOSED            |                               |   |       |   |   | 16000 | 17119 |        |   |    |        |
| OR145        | 0.3          | STT       | CLOSED            |                               |   |       |   |   | 16000 | 17119 |        |   |    |        |
| OR146        | 0.1          | STT       | CLOSED            |                               |   |       |   |   | 16000 | 17119 |        |   |    |        |
| OR147        | 0.2          | STT       | CLOSED            |                               |   |       |   |   | 16000 | 17119 |        |   |    |        |
| OR148        | 0.1          | STT       | CLOSED            |                               |   |       |   |   | 16000 | 17119 |        |   |    |        |
| OR149        | 0.2          | STT       | CLOSED            |                               |   |       |   |   | 16000 | 17119 |        |   |    |        |
| OR150        | 0.3          | STT       | CLOSED            |                               |   |       |   |   | 16119 |       |        |   |    |        |
| OR152        | 0.6          | ATV       | CLOSED            | 11119                         |   | 13119 |   |   | 16119 | 17119 |        |   |    |        |
| OR153        | 0.4          | ATV       | CLOSED            | 11119                         |   | 13119 |   |   | 16119 | 17119 |        |   |    |        |
| OR154        | 0.1          | ATV       | CLOSED            |                               |   | 13119 |   |   | 16000 |       |        |   |    | 111119 |
| OR155        | 0.1          | ATV       | CLOSED            |                               |   | 13119 |   |   | 16000 |       |        |   |    | 111119 |
| OR156        | 0.3          | STT       | CLOSED            |                               |   | 13119 |   |   | 16000 | 17119 |        |   |    |        |
| OR157        | 0.1          | STT       | CLOSED            |                               |   | 13119 |   |   | 16000 |       |        |   |    | 111119 |
| OR159        | 1.3          | STT       | CLOSED            |                               |   | 13119 |   |   | 16000 |       |        |   |    |        |
| OR160        | 0.5          | STT       | CLOSED            |                               |   | 13119 |   |   | 16119 |       |        |   |    |        |
| OR162        | 0.04         | STT       | CLOSED            |                               |   |       |   |   | 16000 | 17119 |        |   |    |        |
| OR166        | 0.04         | STT       | CLOSED            |                               |   |       |   |   | 16000 |       |        |   |    | 111119 |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |
|--------------|--------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|
|              |              |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |
|              |              |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |
| OR167        | 0.05         | STT       | CLOSED            |                               |       |       |       |       | 16000 |       |        |       |        | 111119 |
| OR168        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 |       |        |       |        | 111119 |
| OR169        | 0.2          | ATV       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR179        | 0.5          | STT       | CLOSED            | 11119                         |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR180        | 0.3          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR182        | 0.2          | STT       | CLOSED            | 11119                         |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR183        | 0.6          | STT       | CLOSED            | 11119                         |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR184        | 0.05         | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        | 111119 |
| OR185        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR194        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 |       |        |       |        | 111119 |
| OR199        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 |       |        |       |        | 111119 |
| OR200        | 0.3          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR208        | 0.8          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR210        | 0.03         | STT       | CLOSED            |                               |       |       |       |       | 16000 |       |        |       |        | 111119 |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |
|--------------|--------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|
|              |              |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |
|              |              |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |
| OR212        | 0.5          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15119 | 16000 | 17119 | 18000  | 19000 | 110000 | 111119 |
| OR213        | 0.2          | STT       | CLOSED            | 11119                         |       |       |       |       | 16000 | 17119 |        |       |        | 111119 |
| OR214        | 0.4          | ATV       | CLOSED            | 11119                         |       |       |       |       | 16119 |       |        |       |        |        |
| OR216        | 1.7          | STT       | CLOSED            | 11119                         |       |       |       |       | 16119 | 17119 |        |       |        |        |
| OR219        | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17119 | 18000  | 19000 | 110000 | 111000 |
| OR222        | 0.3          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        | 111119 |
| OR224        | 0.2          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        | 111119 |
| OR225        | 0.2          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17119 | 18000  | 19000 | 110000 | 111000 |
| OR226        | 0.1          | STT       | CLOSED            |                               |       |       |       |       |       |       |        |       |        | 111119 |
| OR231        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 |       |        |       |        | 111119 |
| OR232        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 |       |        |       |        | 111119 |
| OR233        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 |       |        |       |        | 111119 |
| OR234        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 |       |        |       |        | 111119 |
| OR238        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 |       |        |       |        | 111119 |
| OR241        | 0.3          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR242        | 0.6          | ATV       | CLOSED            | 11159                         |       | 13119 |       |       | 16000 | 17119 |        |       |        |        |
| OR243        | 0.5          | ATV       | CLOSED            |                               |       | 13119 |       |       | 16000 | 17119 |        |       |        |        |
| OR245        | 0.1          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR250        | 0.2          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR252        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR253        | 0.2          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR254        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR255        | 0.4          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR256        | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17119 | 18000  | 19000 | 110000 | 111000 |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |
|--------------|--------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|
|              |              |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |
|              |              |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |
| OR257        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR260        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR261        | 0.04         | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR262        | 0.2          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR263        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR264        | 0.3          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR265        | 0.2          | STT       | CLOSED            |                               |       |       |       |       |       |       |        |       | 110129 | 111119 |
| OR269        | 0.6          | STT       | CLOSED            |                               | 12119 |       |       |       | 16000 | 17119 |        |       |        |        |
| OR270        | 0.2          | STT       | CLOSED            |                               | 12119 |       |       |       | 16000 | 17119 |        |       |        |        |
| OR274        | 0.3          | STT       | CLOSED            |                               | 12119 |       |       |       | 16000 | 17119 |        |       |        |        |
| OR276        | 0.1          | STT       | CLOSED            |                               | 12119 |       |       |       | 16119 | 17119 |        |       |        |        |
| OR279        | 0.2          | STT       | CLOSED            |                               | 12119 |       |       |       | 16000 | 17119 |        |       |        |        |
| OR281        | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17119 | 18000  | 19000 | 110000 | 111000 |
| OR282        | 0.3          | STT       | CLOSED            | 11020                         |       |       |       |       | 16000 | 17119 |        |       | 110119 |        |
| OR283        | 0.05         | STT       | CLOSED            | 11010                         | 12000 | 13000 | 14000 | 15119 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR284        | 0.1          | STT       | CLOSED            | 11010                         |       |       |       |       | 16000 | 17119 |        |       | 110119 |        |
| OR285        | 0.3          | STT       | CLOSED            | 11010                         |       |       |       |       | 16000 | 17119 |        |       | 110119 |        |
| OR286        | 0.3          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        | 111119 |
| OR288        | 2.7          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        | 111119 |
| OR289        | 0.2          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17119 | 18000  | 19000 | 110000 | 111000 |
| OR290        | 0.2          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17119 | 18000  | 19000 | 110000 | 111000 |
| OR292        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        | 111119 |
| OR293        | 0.03         | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR295        | 0.3          | STT       | CLOSED            |                               | 12129 |       |       |       | 16000 |       |        |       |        |        |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |        |
|--------------|--------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|--------|
|              |              |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |        |
|              |              |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |        |
| OR296        | 0.2          | STT       | CLOSED            |                               | 12129 |       |       |       |       | 16000 |        |       |        |        |        |
| OR297        | 0.3          | STT       | CLOSED            | 11020                         |       |       |       |       |       |       | 17119  |       |        |        |        |
| OR298        | 0.2          | STT       | CLOSED            | 11010                         |       |       |       |       |       |       |        |       |        | 110129 |        |
| OR300        | 0.1          | STT       | CLOSED            | 11010                         |       |       |       |       |       |       |        |       |        | 110129 |        |
| OR301        | 0.2          | STT       | CLOSED            | 11010                         | 12129 |       |       |       |       | 16000 |        |       |        | 110129 |        |
| OR302        | 0.2          | STT       | CLOSED            | 11010                         | 12129 |       |       |       |       | 16000 | 17119  |       |        |        |        |
| OR303        | 0.04         | STT       | CLOSED            | 11010                         |       |       |       |       |       | 16000 |        |       |        |        | 111119 |
| OR304        | 0.5          | STT       | CLOSED            | 11010                         | 12129 |       |       |       |       | 16000 | 17119  |       |        | 110129 |        |
| OR306        | 0.3          | STT       | CLOSED            | 11010                         | 12129 |       |       |       |       | 16000 | 17119  |       |        |        |        |
| OR307        | 0.1          | STT       | CLOSED            | 11010                         | 12129 |       |       |       |       | 16000 | 17119  |       |        |        |        |
| OR308        | 0.3          | STT       | CLOSED            | 11010                         | 12129 |       |       |       |       | 16000 | 17119  |       |        |        |        |
| OR310        | 0.2          | STT       | CLOSED            |                               |       |       |       |       |       | 16000 | 17119  |       |        |        |        |
| OR311        | 0.2          | STT       | CLOSED            | 11020                         | 12129 |       |       |       |       | 16000 |        |       |        |        |        |
| OR312        | 0.1          | STT       | CLOSED            | 11010                         | 12129 |       |       |       |       | 16000 |        |       |        |        |        |
| OR313        | 0.1          | STT       | CLOSED            | 11010                         | 12129 |       |       |       |       | 16000 |        |       |        |        |        |
| OR314        | 0.2          | STT       | CLOSED            | 11020                         |       |       |       |       |       | 16000 |        |       |        |        | 111119 |
| OR317        | 0.2          | STT       | CLOSED            | 11020                         | 12129 |       |       |       |       | 16000 |        |       |        |        |        |
| OR319        | 0.5          | STT       | CLOSED            | 11020                         | 12129 |       |       |       |       | 16000 |        |       |        |        | 111119 |
| OR320        | 0.5          | STT       | CLOSED            | 11020                         | 12129 |       |       |       |       | 16000 |        |       |        |        |        |
| OR321        | 0.2          | STT       | CLOSED            | 11010                         | 12129 |       |       |       |       | 16000 |        |       |        |        | 111119 |
| OR323        | 0.1          | STT       | CLOSED            | 11010                         |       |       |       |       |       | 16000 |        |       |        | 110129 |        |
| OR326        | 0.2          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |        |
| OR327        | 0.3          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |        |
| OR385        | 0.1          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |        |
| OR387        | 0.1          | ATV       | CLOSED            |                               |       |       |       |       |       | 16000 |        |       |        | 110129 |        |
| OR388        | 0.4          | STT       | CLOSED            |                               | 12129 |       |       |       |       | 16000 |        |       |        |        | 111119 |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |
|--------------|--------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|
|              |              |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |
|              |              |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |
| OR390        | 0.2          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       | 110129 |        |
| OR391        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       | 110119 |        |
| OR392        | 0.3          | STT       | CLOSED            | 11119                         |       |       |       |       |       |       |        |       | 110119 |        |
| OR393        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       | 110129 |        |
| OR394        | 0.3          | STT       | CLOSED            | 11139                         | 12129 |       |       |       | 16000 | 17119 |        |       | 110129 |        |
| OR396        | 0.1          | STT       | OPEN              |                               |       |       |       |       | 16000 | 17110 |        |       | 110000 |        |
| OR398        | 0.04         | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17009 | 18000  | 19000 | 110129 | 111000 |
| OR399        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 |       |        |       | 110129 |        |
| OR402        | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15119 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR403        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        | 111119 |
| OR404        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR405        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        | 111119 |
| OR406        | 0.2          | STT       | CLOSED            | 11010                         |       |       |       |       | 16000 |       |        |       |        | 111119 |
| OR408        | 0.04         | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       | 110129 |        |
| OR434        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       | 110129 |        |
| OR435        | 0.1          | ATV       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR436        | 0.04         | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        | 111119 |
| OR437        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        | 111119 |
| OR438        | 0.1          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR439        | 0.1          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR440        | 0.2          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        | 111119 |
| OR441        | 0.1          | STT       | CLOSED            |                               |       |       |       |       |       | 17119 |        |       |        | 111119 |
| OR442        | 0.2          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR443        | 0.2          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR444        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |
|--------------|--------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|
|              |              |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |
|              |              |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |
| OR446        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16119 | 17119 |        |       | 110129 |        |
| OR448        | 0.2          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR449        | 0.2          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR450        | 0.02         | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR451        | 0.02         | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        | 111119 |
| OR453        | 0.2          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR454        | 0.2          | STT       | CLOSED            |                               |       |       |       | 15119 |       |       |        |       |        | 111119 |
| OR459        | 0.06         | ATV       | CLOSED            |                               | 12129 |       |       |       | 16000 |       |        |       | 110119 |        |
| OR460        | 0.03         | ATV       | CLOSED            |                               | 12129 |       |       |       | 16000 | 17119 |        |       |        | 111119 |
| OR461        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       | 110129 |        |
| OR462        | 0.1          | JEEP      | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR463        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        | 111119 |
| OR464        | 0.2          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR465        | 0.04         | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        | 111119 |
| OR466        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR467        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        | 111119 |
| OR468        | 0.3          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR470        | 0.3          | ATV       | CLOSED            |                               | 12129 |       |       |       | 16000 | 17119 |        |       |        |        |
| OR472        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        | 111119 |
| OR473        | 0.1          | STT       | CLOSED            |                               |       |       |       |       |       |       |        |       | 110129 |        |
| OR478        | 0.8          | ATV       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        | 111119 |
| OR479        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        | 111119 |
| OR480        | 0.5          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       | 110129 |        |
| OR481        | 0.1          | ATV       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        | 111119 |
| OR485        | 0.2          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |
|--------------|--------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|
|              |              |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |
|              |              |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |
| OR488        | 0.4          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR489        | 0.02         | ATV       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        | 111119 |
| OR492        | 0.4          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR495        | 0.7          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       | 110129 |        |
| OR496        | 0.3          | STT       | CLOSED            |                               | 12119 |       |       |       | 16000 | 17119 |        |       | 110129 |        |
| OR497        | 0.6          | STT       | CLOSED            |                               | 12119 |       |       |       | 16119 | 17119 |        |       |        |        |
| OR514        | 0.6          | STT       | CLOSED            | 11119                         | 12119 |       |       |       | 16000 |       |        |       |        |        |
| OR515        | 0.2          | STT       | CLOSED            |                               |       |       |       |       | 16000 |       |        |       |        | 111119 |
| OR516        | 0.2          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR517        | 0.1          | ATV       | CLOSED            |                               |       |       |       |       | 16000 |       |        |       |        | 111119 |
| OR518        | 0.2          | STT       | CLOSED            |                               |       |       |       |       | 16000 | 17119 |        |       |        |        |
| OR519        | 0.2          | STT       | CLOSED            |                               |       |       |       |       | 16000 |       |        |       |        | 111119 |
| OR520        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16000 |       |        |       |        | 111119 |
| OR521        | 0.3          | ATV       | CLOSED            |                               | 12119 |       |       |       | 16000 | 17119 |        |       |        |        |
| OR523        | 0.03         | STT       | CLOSED            |                               | 12119 |       |       |       | 16000 | 17119 |        |       | 110129 |        |
| OR524        | 0.5          | STT       | CLOSED            |                               | 12119 |       |       |       | 16000 | 17119 |        |       | 110129 |        |
| OR525        | 0.02         | STT       | CLOSED            |                               | 12119 |       |       |       | 16000 | 17119 |        |       | 110129 |        |
| OR526        | 0.3          | STT       | CLOSED            |                               | 12119 |       |       |       | 16000 | 17119 |        |       | 110129 |        |
| OR527        | 0.1          | ATV       | CLOSED            |                               | 12119 |       |       |       | 16000 | 17119 |        |       | 110129 |        |
| OR528        | 0.2          | STT       | CLOSED            |                               | 12119 |       |       |       | 16000 | 17119 |        |       | 110129 |        |
| OR529        | 0.2          | STT       | CLOSED            |                               | 12119 |       |       |       | 16119 |       |        |       |        |        |
| OR530        | 1.8          | STT       | CLOSED            |                               | 12119 |       |       |       | 16119 |       |        |       |        |        |
| OR531        | 0.1          | STT       | CLOSED            |                               | 12119 |       |       |       | 16119 |       |        |       |        |        |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |   |   |   |   |       |        |   |    |        |        |
|--------------|--------------|-----------|-------------------|-------------------------------|-------|---|---|---|---|-------|--------|---|----|--------|--------|
|              |              |           |                   | Tier 1                        |       |   |   |   | 2 | 3     | Tier 4 |   |    |        |        |
|              |              |           |                   | 1                             | 2     | 3 | 4 | 5 | 6 | 7     | 8      | 9 | 10 | 11     |        |
| OR532        | 0.2          | STT       | CLOSED            |                               | 12119 |   |   |   |   | 16010 |        |   |    |        |        |
| OR533        | 0.1          | STT       | CLOSED            |                               |       |   |   |   |   | 16000 |        |   |    |        | 111119 |
| OR534        | 0.05         | STT       | CLOSED            |                               | 12119 |   |   |   |   | 16000 |        |   |    |        |        |
| OR535        | 0.2          | STT       | CLOSED            |                               | 12119 |   |   |   |   | 16000 |        |   |    |        |        |
| OR536        | 0.1          | STT       | CLOSED            |                               | 12119 |   |   |   |   | 16000 |        |   |    |        |        |
| OR537        | 0.2          | STT       | CLOSED            |                               | 12119 |   |   |   |   | 16000 |        |   |    |        |        |
| OR538        | 0.04         | STT       | CLOSED            |                               | 12119 |   |   |   |   | 16000 |        |   |    |        |        |
| OR539        | 0.01         | STT       | CLOSED            |                               | 12119 |   |   |   |   | 16000 |        |   |    |        |        |
| OR540        | 0.03         | STT       | CLOSED            |                               | 12119 |   |   |   |   | 16000 |        |   |    |        |        |
| OR541        | 0.05         | STT       | CLOSED            |                               | 12119 |   |   |   |   | 16000 |        |   |    |        |        |
| OR542        | 0.2          | STT       | CLOSED            |                               | 12119 |   |   |   |   | 16000 |        |   |    |        |        |
| OR543        | 0.1          | STT       | CLOSED            |                               | 12119 |   |   |   |   | 16000 | 17119  |   |    | 110119 |        |
| OR546        | 0.1          | STT       | CLOSED            |                               | 12119 |   |   |   |   | 16119 | 17119  |   |    |        |        |
| OR547        | 0.1          | STT       | CLOSED            | 11139                         |       |   |   |   |   | 16000 | 17119  |   |    |        | 111119 |
| OR550        | 0.5          | JEEP      | CLOSED            | 11119                         |       |   |   |   |   | 16119 | 17119  |   |    |        |        |
| OR551        | 1.5          | JEEP      | CLOSED            | 11119                         |       |   |   |   |   | 16119 | 17119  |   |    |        |        |
| OR552        | 0.3          | JEEP      | CLOSED            | 11119                         |       |   |   |   |   | 16119 | 17119  |   |    |        |        |
| OR553        | 0.7          | ATV       | CLOSED            | 11119                         |       |   |   |   |   | 16119 | 17119  |   |    |        |        |
| OR554        | 0.2          | ATV       | CLOSED            | 11119                         |       |   |   |   |   | 16119 | 17119  |   |    |        |        |
| OR555        | 0.2          | ATV       | CLOSED            | 11119                         |       |   |   |   |   | 16119 | 17119  |   |    |        |        |
| OR556        | 0.3          | ATV       | CLOSED            | 11119                         |       |   |   |   |   | 16119 | 17119  |   |    |        |        |
| OR557        | 0.4          | JEEP      | CLOSED            | 11119                         |       |   |   |   |   | 16119 | 17119  |   |    |        |        |
| OR558        | 0.4          | JEEP      | CLOSED            | 11119                         |       |   |   |   |   | 16119 | 17119  |   |    |        |        |
| OR559        | 0.02         | JEEP      | CLOSED            | 11119                         |       |   |   |   |   | 16119 | 17119  |   |    |        |        |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |   |   |       |       |        |   |    |    |               |
|--------------|--------------|-----------|-------------------|-------------------------------|-------|-------|---|---|-------|-------|--------|---|----|----|---------------|
|              |              |           |                   | Tier 1                        |       |       |   |   | 2     | 3     | Tier 4 |   |    |    |               |
|              |              |           |                   | 1                             | 2     | 3     | 4 | 5 | 6     | 7     | 8      | 9 | 10 | 11 |               |
| OR560        | 0.8          | ATV       | CLOSED            | 11119                         |       |       |   |   |       | 16119 | 17119  |   |    |    |               |
| OR561        | 0.5          | ATV       | CLOSED            | 11119                         |       |       |   |   |       | 16119 | 17119  |   |    |    |               |
| OR562        | 0.5          | ATV       | CLOSED            | 11119                         |       |       |   |   |       | 16119 | 17119  |   |    |    |               |
| OR565        | 0.2          | STT       | OPEN              |                               |       |       |   |   |       | 16000 | 17110  |   |    |    | 110110        |
| OR567        | 0.1          | STT       | CLOSED            | 11139                         |       |       |   |   |       | 16000 | 17119  |   |    |    | 110129        |
| OR573        | 0.5          | STT       | CLOSED            | 11139                         |       |       |   |   |       | 16000 | 17119  |   |    |    | 110129        |
| OR574        | 0.2          | STT       | CLOSED            | 111139                        |       |       |   |   |       | 16000 | 17119  |   |    |    | 110129        |
| OR575        | 0.3          | STT       | CLOSED            |                               | 12119 |       |   |   |       | 16000 | 17119  |   |    |    |               |
| OR576        | 0.03         | JEEP      | CLOSED            |                               | 12119 |       |   |   |       | 16000 | 17119  |   |    |    |               |
| OR577        | 0.7          | STT       | CLOSED            |                               | 12119 |       |   |   |       | 16000 | 17119  |   |    |    |               |
| OR582        | 0.2          | ATV       | CLOSED            |                               | 12119 |       |   |   |       | 16119 | 17119  |   |    |    | 110129        |
| OR586        | 0.2          | STT       | CLOSED            |                               | 12119 | 13119 |   |   |       | 16119 |        |   |    |    |               |
| OR587        | 0.4          | JEEP      | CLOSED            |                               |       |       |   |   |       | 16000 | 17119  |   |    |    | 110129        |
| OR588        | 0.3          | STT       | CLOSED            | 11119                         |       |       |   |   |       | 16000 | 17119  |   |    |    |               |
| OR589        | 0.1          | STT       | CLOSED            |                               |       |       |   |   |       |       |        |   |    |    | 110129 111119 |
| OR590        | 0.4          | STT       | CLOSED            |                               | 12119 |       |   |   | 15119 | 16000 |        |   |    |    |               |
| OR591        | 0.3          | STT       | CLOSED            |                               | 12119 |       |   |   | 15119 | 16000 |        |   |    |    |               |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |
|--------------|--------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|
|              |              |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |
|              |              |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |
| OR592        | 0.8          | STT       | CLOSED            |                               | 12119 |       |       | 15119 | 16000 |       |        |       |        |        |
| OR593        | 0.1          | STT       | CLOSED            |                               | 12119 |       |       | 15119 | 16000 |       |        |       |        |        |
| OR594        | 0.2          | STT       | CLOSED            |                               | 12119 |       |       | 15119 | 16000 |       |        |       |        |        |
| OR595        | 0.3          | STT       | CLOSED            |                               | 12119 |       |       | 15119 | 16000 |       |        |       |        |        |
| OR596        | 0.2          | STT       | CLOSED            |                               | 12119 |       |       | 15119 | 16000 |       |        |       |        |        |
| OR597        | 1.1          | STT       | CLOSED            |                               | 12119 | 15119 | 16000 |       |       |       |        |       |        |        |
| OR598        | 0.1          | ATV       | CLOSED            |                               |       |       |       |       | 16119 |       | 18119  |       |        |        |
| OR599        | 0.1          | ATV       | CLOSED            |                               |       |       |       |       | 16010 | 17119 | 18119  |       | 110129 |        |
| OR600        | 0.1          | ATV       | CLOSED            |                               |       |       |       |       |       | 17119 | 18119  |       | 110129 |        |
| OR601        | 0.2          | STT       | CLOSED            |                               |       |       |       |       |       |       |        |       | 110129 |        |
| OR602        | 0.3          | STT       | CLOSED            |                               |       |       |       |       |       |       |        |       | 110129 |        |
| OR603        | 0.1          | STT       | CLOSED            |                               |       |       |       |       | 16119 |       |        |       | 110129 |        |
| OR604        | 0.2          | ATV       | CLOSED            |                               |       |       |       | 15119 |       |       |        |       | 110129 |        |
| OR605        | 0.6          | STT       | CLOSED            |                               |       |       |       |       | 16119 |       |        |       | 110129 |        |
| OR606        | 0.03         | STT       | CLOSED            |                               |       |       |       |       |       |       |        |       | 110129 |        |
| OR607        | 0.1          | STT       | CLOSED            |                               | 12119 |       |       |       | 16010 |       |        |       | 110129 |        |
| OR608        | 0.04         | STT       | CLOSED            |                               |       |       |       |       |       |       |        |       | 110129 |        |
| OR609        | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR610        | 0.2          | IMPR      | OAK FLAT CG       | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR611        | 0.03         | STT       | OAK FLAT CG       | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR612        | 0.04         | IMPR      | OAK FLAT CG       | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR613        | 0.02         | IMPR      | OAK FLAT CG       | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR614        | 0.1          | IMPR      | OAK FLAT CG       | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR615        | 0.1          | ATV       | OAK FLAT CG       | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR616        | 0.03         | ATV       | OAK FLAT CG       | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR617        | 0.01         | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17119 | 18000  | 19000 | 110000 | 111119 |
| OR618        | 0.2          | ATV       | CLOSED            |                               |       |       |       |       |       |       |        |       | 110129 |        |
| OR619        | 0.07         | IMPR      | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length Miles | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |        |
|--------------|--------------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|--------|
|              |                    |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |        |
|              |                    |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |        |
| OR620        | 0.05               | ATV       | CLOSED            |                               | 12119 |       |       |       |       |       |        |       |        | 110119 |        |
| OR621        | 0.3                | ATV       | CLOSED            |                               |       |       |       |       |       | 16119 |        |       |        |        |        |
| OR622        | 0.1                | ATV       | CLOSED            |                               |       |       |       |       |       |       |        |       |        |        | 111119 |
| OR623        | 0.2                | ATV       | CLOSED            |                               |       |       |       |       |       | 12119 |        |       |        |        |        |
| OR624        | 0.1                | ATV       | CLOSED            |                               |       |       |       |       |       |       |        |       |        | 110129 |        |
| OR625        | 0.1                | ATV       | CLOSED            |                               |       |       |       |       |       |       |        |       |        | 110129 |        |
| OR626        | 0.1                | ATV       | CLOSED            |                               |       |       |       |       |       |       |        |       |        | 110129 |        |
| OR627        | 0.1                | ATV       | CLOSED            |                               |       |       |       |       |       |       |        |       |        | 110129 |        |
| OR628        | 0.2                | ATV       | CLOSED            |                               |       |       |       |       |       | 16010 |        |       |        | 110129 |        |
| OR629        | 0.3                | ATV       | CLOSED            |                               |       |       |       |       |       | 06010 |        |       |        | 110129 |        |
| OR630        | 0.1                | ATV       | CLOSED            |                               |       |       |       |       |       | 06010 |        |       |        | 110129 |        |
| OR631        | 0.1                | ATV       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |        |
| OR632        | 0.2                | ATV       | CLOSED            |                               |       |       |       |       |       |       |        |       |        | 110129 |        |
| OR633        | 0.2                | ATV       | CLOSED            |                               |       |       |       |       |       | 16119 |        |       |        | 110119 |        |
| OR634        | 0.3                | STT       | CLOSED            |                               |       |       |       |       |       | 16119 |        |       |        | 110119 | 111119 |
| OR635        | 0.1                | JEEP      | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |        |
| OR636        | 0.3                | STT       | CLOSED            |                               |       |       |       |       |       | 16119 |        |       |        |        |        |
| OR637        | 0.2                | STT       | CLOSED            |                               |       |       |       |       |       | 16119 |        |       |        |        |        |
| OR638        | 0.1                | STT       | CLOSED            |                               |       |       |       |       |       | 16010 |        |       |        | 110119 |        |
| OR639        | 0.1                | JEEP      | CLOSED            |                               |       |       |       |       |       | 16119 |        |       |        | 110119 |        |
| OR640        | 0.1                | JEEP      | CLOSED            |                               |       |       |       |       |       |       |        |       |        | 110119 |        |
| OR641        | 0.2                | STT       | CLOSED            |                               |       |       |       |       |       | 16010 |        |       |        | 110119 |        |
| OR642        | 0.4                | STT       | OPEN              | 11000                         | 12212 | 13000 | 14000 | 15000 | 16010 | 17000 | 18000  | 19000 | 110000 | 111000 |        |
| OR643        | 0.1                | STT       | CLOSED            |                               |       |       |       |       |       |       |        |       |        | 110119 |        |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length Miles | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |   |   |   |   |   |       |        |   |    |        |  |
|--------------|--------------------|-----------|-------------------|-------------------------------|---|---|---|---|---|-------|--------|---|----|--------|--|
|              |                    |           |                   | Tier 1                        |   |   |   |   | 2 | 3     | Tier 4 |   |    |        |  |
|              |                    |           |                   | 1                             | 2 | 3 | 4 | 5 | 6 | 7     | 8      | 9 | 10 | 11     |  |
| OR644        | 0.2                | STT       | CLOSED            |                               |   |   |   |   |   | 16119 |        |   |    |        |  |
| OR645        | 0.2                | STT       | CLOSED            |                               |   |   |   |   |   | 16119 |        |   |    |        |  |
| OR646        | 0.05               | STT       | CLOSED            |                               |   |   |   |   |   | 16010 |        |   |    | 110119 |  |
| OR647        | 0.1                | STT       | CLOSED            |                               |   |   |   |   |   | 16010 |        |   |    | 110129 |  |
| OR648        | 0.2                | STT       | CLOSED            |                               |   |   |   |   |   | 16010 |        |   |    | 110119 |  |
| OR649        | 0.02               | JEEP      | CLOSED            |                               |   |   |   |   |   | 16010 |        |   |    | 110119 |  |
| OR650        | 0.04               | JEEP      | CLOSED            |                               |   |   |   |   |   | 16010 |        |   |    | 110119 |  |
| OR651        | 0.03               | JEEP      | CLOSED            |                               |   |   |   |   |   |       |        |   |    | 110119 |  |
| OR652        | 0.03               | STT       | CLOSED            |                               |   |   |   |   |   | 16010 |        |   |    | 110119 |  |
| OR653        | 0.2                | STT       | CLOSED            |                               |   |   |   |   |   | 16010 |        |   |    | 110119 |  |
| OR654        | 0.03               | STT       | CLOSED            |                               |   |   |   |   |   | 16010 |        |   |    | 110119 |  |
| OR656        | 0.1                | STT       | CLOSED            |                               |   |   |   |   |   | 16010 |        |   |    | 110119 |  |
| OR657        | 0.03               | STT       | CLOSED            |                               |   |   |   |   |   | 16010 |        |   |    | 110119 |  |
| OR660        | 0.002              | STT       | CLOSED            |                               |   |   |   |   |   |       |        |   |    | 110119 |  |
| OR661        | 0.02               | STT       | CLOSED            |                               |   |   |   |   |   |       |        |   |    | 110119 |  |
| OR662        | 0.1                | JEEP      | CLOSED            |                               |   |   |   |   |   | 16010 |        |   |    | 110119 |  |
| OR663        | 0.004              | STT       | CLOSED            |                               |   |   |   |   |   |       |        |   |    | 110119 |  |
| OR664        | 0.05               | STT       | CLOSED            |                               |   |   |   |   |   | 16010 |        |   |    | 110119 |  |
| OR665        | 0.02               | JEEP      | CLOSED            |                               |   |   |   |   |   |       |        |   |    | 110119 |  |
| OR666        | 0.02               | JEEP      | CLOSED            |                               |   |   |   |   |   |       |        |   |    | 110119 |  |
| OR667        | 0.03               | STT       | CLOSED            |                               |   |   |   |   |   | 16010 |        |   |    | 110119 |  |
| OR668        | 0.01               | STT       | CLOSED            |                               |   |   |   |   |   | 16010 |        |   |    | 110119 |  |
| OR669        | 0.03               | STT       | CLOSED            |                               |   |   |   |   |   |       |        |   |    | 110119 |  |
| OR670        | 0.01               | STT       | CLOSED            |                               |   |   |   |   |   |       |        |   |    | 110119 |  |
| OR671        | 0.04               | STT       | CLOSED            |                               |   |   |   |   |   | 16010 |        |   |    | 110119 |  |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length Miles | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |   |   |   |   |       |        |   |    |        |  |
|--------------|--------------------|-----------|-------------------|-------------------------------|-------|---|---|---|---|-------|--------|---|----|--------|--|
|              |                    |           |                   | Tier 1                        |       |   |   |   | 2 | 3     | Tier 4 |   |    |        |  |
|              |                    |           |                   | 1                             | 2     | 3 | 4 | 5 | 6 | 7     | 8      | 9 | 10 | 11     |  |
| OR672        | 0.02               | JEEP      | CLOSED            |                               |       |   |   |   |   |       |        |   |    | 110119 |  |
| OR673        | 0.02               | STT       | CLOSED            |                               |       |   |   |   |   | 16119 |        |   |    | 110119 |  |
| OR674        | 0.01               | STT       | CLOSED            |                               |       |   |   |   |   | 16119 |        |   |    | 110119 |  |
| OR675        | 0.03               | STT       | CLOSED            |                               |       |   |   |   |   | 16119 |        |   |    | 110119 |  |
| OR676        | 0.1                | STT       | CLOSED            |                               |       |   |   |   |   |       |        |   |    | 110119 |  |
| OR677        | 0.02               | STT       | CLOSED            |                               |       |   |   |   |   | 16119 |        |   |    | 110119 |  |
| OR678        | 0.005              | STT       | CLOSED            |                               |       |   |   |   |   |       |        |   |    | 110119 |  |
| OR679        | 0.01               | STT       | CLOSED            |                               |       |   |   |   |   | 16010 |        |   |    | 110119 |  |
| OR680        | 0.02               | STT       | CLOSED            |                               |       |   |   |   |   | 16010 |        |   |    | 110119 |  |
| OR681        | 0.2                | STT       | CLOSED            |                               | 12119 |   |   |   |   | 16119 |        |   |    |        |  |
| OR682        | 0.1                | STT       | CLOSED            |                               | 12119 |   |   |   |   | 16010 |        |   |    |        |  |
| OR683        | 0.01               | STT       | CLOSED            |                               |       |   |   |   |   |       |        |   |    | 110119 |  |
| OR684        | 0.01               | STT       | CLOSED            |                               |       |   |   |   |   |       |        |   |    | 110119 |  |
| OR685        | 0.03               | STT       | CLOSED            |                               |       |   |   |   |   | 16010 |        |   |    | 110119 |  |
| OR686        | 0.02               | STT       | CLOSED            |                               |       |   |   |   |   | 16010 |        |   |    | 110119 |  |
| OR687        | 0.07               | STT       | CLOSED            |                               |       |   |   |   |   | 16010 |        |   |    | 110119 |  |
| OR688        | 0.02               | STT       | CLOSED            |                               |       |   |   |   |   |       |        |   |    | 110119 |  |
| OR690        | 0.1                | STT       | CLOSED            |                               |       |   |   |   |   | 16010 |        |   |    | 110119 |  |
| OR691        | 0.02               | STT       | CLOSED            |                               |       |   |   |   |   |       |        |   |    | 110119 |  |
| OR692        | 0.02               | STT       | CLOSED            |                               |       |   |   |   |   | 16010 |        |   |    | 110119 |  |
| OR693        | 0.05               | STT       | CLOSED            |                               |       |   |   |   |   | 16010 |        |   |    | 110119 |  |
| OR694        | 0.01               | STT       | CLOSED            |                               |       |   |   |   |   |       |        |   |    | 110119 |  |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length Miles | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |
|--------------|--------------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|
|              |                    |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |
|              |                    |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |
| OR695        | 0.01               | STT       | CLOSED            |                               |       |       |       |       | 16010 |       |        |       | 110119 |        |
| OR696        | 0.1                | STT       | CLOSED            |                               | 12119 |       |       |       | 16119 |       |        |       | 110119 |        |
| OR697        | 0.03               | STT       | CLOSED            |                               | 12119 |       |       |       | 16010 |       |        |       | 110119 |        |
| OR698        | 0.03               | STT       | CLOSED            |                               | 12119 |       |       |       | 16119 |       |        |       | 110119 |        |
| OR699        | 0.01               | STT       | CLOSED            |                               |       |       |       |       |       |       |        |       | 110119 |        |
| OR700        | 0.04               | JEEP      | CLOSED            |                               | 12119 |       |       |       |       |       |        |       | 110119 |        |
| OR701        | 0.03               | STT       | CLOSED            |                               |       |       |       |       |       |       |        |       | 110119 |        |
| OR702        | 0.01               | STT       | CLOSED            |                               |       |       |       |       | 16010 |       |        |       | 110119 |        |
| OR703        | 0.02               | JEEP      | CLOSED            |                               | 12119 |       |       |       | 16119 |       |        |       | 110119 |        |
| OR704        | 0.02               | JEEP      | CLOSED            |                               | 12119 |       |       |       |       |       |        |       | 110119 |        |
| OR705        | 0.7                | STT       | CLOSED            | 11000                         | 12000 | 13139 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR706        | 0.3                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR707        | 0.1                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14119 | 15000 | 16000 | 17119 | 18000  | 19000 | 110000 | 111000 |
| OR708        | 0.7                | STT       | CLOSED            | 11119                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR709        | 0.3                | STT       | CLOSED            | 11119                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR710        | 0.04               | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15119 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR711        | 0.3                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15119 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR712        | 0.2                | STT       | CLOSED            | 11139                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR713        | 1.4                | STT       | CLOSED            | 11119                         | 12119 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR714        | 0.6                | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR715        | 0.3                | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR716        | 0.1                | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length Miles | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |
|--------------|--------------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|
|              |                    |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |
|              |                    |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |
| OR717        | 0.03               | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 110129 |
| OR718        | 0.2                | STT       | CLOSED            | 11119                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR720        | 0.4                | STT       | CLOSED            | 11129                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR721        | 0.1                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111000 |
| OR722        | 0.2                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15119 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR723        | 0.5                | STT       | CLOSED            | 11000                         | 12119 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR724        | 0.5                | STT       | CLOSED            | 11000                         | 12119 | 13000 | 14000 | 15119 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR725        | 0.3                | STT       | CLOSED            | 11129                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR726        | 0.4                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR727        | 0.6                | STT       | CLOSED            | 11000                         | 12129 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR728        | 0.4                | STT       | CLOSED            | 11129                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR729        | 0.1                | STT       | CLOSED            | 11119                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR730        | 0.3                | STT       | CLOSED            | 11119                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR731        | 0.3                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR732        | 0.04               | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111000 |
| OR733        | 0.2                | STT       | CLOSED            | 11000                         | 12129 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR734        | 0.2                | STT       | CLOSED            | 11000                         | 12000 | 13119 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR735        | 0.1                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR736        | 0.4                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR737        | 0.1                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111000 |
| OR738        | 0.3                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR739        | 0.3                | STT       | CLOSED            | 11119                         | 12129 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR740        | 0.5                | STT       | CLOSED            | 11000                         | 12129 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length Miles | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |
|--------------|--------------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|
|              |                    |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |
|              |                    |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |
| OR741        | 0.4                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR742        | 0.04               | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR743        | 0.2                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17119 | 18000  | 19000 | 110129 | 111000 |
| OR744        | 0.4                | STT       | CLOSED            |                               | 12149 |       |       | 15119 | 16119 |       |        |       |        |        |
| OR745        | 0.1                | STT       | CLOSED            |                               |       |       |       |       |       |       |        |       | 110119 |        |
| OR746        | 2.7                | ATV       | CLOSED            | 11139                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR748        | 0.1                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 12119 |       |        |       |        |        |
| OR749        | 0.8                | STT       | CLOSED            | 11119                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR750        | 0.5                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR751        | 0.06               | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17119 | 18000  | 19000 | 110129 | 111000 |
| OR752        | 0.1                | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR753        | 0.3                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110119 | 111000 |
| OR754        | 0.1                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110119 | 111000 |
| OR755        | 0.2                | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR756        | 0.1                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111000 |
| OR757        | 0.1                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111000 |
| OR758        | 0.05               | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17119 | 18000  | 19000 | 110129 | 111000 |
| OR759        | 0.2                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17119 | 18000  | 19000 | 110129 | 111000 |
| OR760        | 0.4                | STT       | CLOSED            | 11000                         | 12000 | 13129 | 14000 | 15000 | 16119 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR761        | 0.2                | STT       | CLOSED            | 11000                         | 12000 | 13129 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR762        | 0.4                | STT       | CLOSED            | 11139                         | 12000 | 13000 | 14000 | 15000 | 16119 | 17000 | 18000  | 19000 | 110000 | 111000 |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length Miles | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |
|--------------|--------------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|
|              |                    |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |
|              |                    |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |
| OR763        | 0.1                | STT       | CLOSED            | 11139                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR764        | 0.1                | STT       | CLOSED            | 11000                         | 12000 | 13129 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR765        | 0.3                | STT       | CLOSED            | 11000                         | 12000 | 13129 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR766        | 0.2                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110119 | 111000 |
| OR767        | 0.9                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19119 | 110000 | 111119 |
| OR768        | 0.6                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19119 | 110000 | 111119 |
| OR769        | 0.2                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111000 |
| OR770        | 0.2                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR771        | 0.01               | STT       | CLOSED            | 11000                         | 12000 | 13129 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR772        | 0.1                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111000 |
| OR773        | 0.4                | STT       | CLOSED            | 11119                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR774        | 0.2                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR775        | 0.03               | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17119 | 18000  | 19000 | 110000 | 111000 |
| OR776        | 0.3                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15119 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR777        | 0.5                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR778        | 0.1                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111000 |
| OR779        | 0.02               | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111000 |
| OR780        | 0.2                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111119 |
| OR781        | 0.2                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR782        | 0.04               | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17119 | 18000  | 19000 | 110000 | 111000 |
| OR783        | 0.2                | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111000 |
| OR784        | 1.0                | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |
|--------------|--------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|
|              |              |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |
|              |              |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |
| OR 785       | 0.3          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111000 |
| OR 786       | 0.3          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17119 | 18000  | 19000 | 110129 | 111000 |
| OR 787       | 0.2          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 788       | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17119 | 18000  | 19000 | 110000 | 111119 |
| OR 789       | 0.5          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 790       | 0.7          | STT       | CLOSED            | 11119                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 791       | 0.1          | STT       | CLOSED            | 11119                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 792       | 0.4          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 793       | 0.2          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 794       | 0.2          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 795       | 0.4          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 796       | 0.2          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111000 |
| OR 797       | 0.3          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111000 |
| OR 798       | 0.1          | STT       | CLOSED            | 11000                         | 12119 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 799       | 0.2          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 800       | 0.6          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15119 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 801       | 0.2          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111119 |
| OR 802       | 0.2          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 803       | 0.6          | STT       | CLOSED            | 11169                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 804       | 0.04         | STT       | CLOSED            | 11129                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |
|--------------|--------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|
|              |              |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |
|              |              |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |
| OR 805       | 0.2          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 806       | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15119 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 807       | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15119 | 16000 | 17119 | 18000  | 19000 | 110000 | 111119 |
| OR 808       | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 809       | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 810       | 0.3          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 811       | 0.4          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 812       | 0.5          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 813       | 0.05         | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111000 |
| OR 814       | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 815       | 0.5          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111119 |
| OR 816       | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 817       | 0.03         | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111119 |
| OR 818       | 0.2          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 819       | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 820       | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111000 |
| OR 821       | 0.4          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 822       | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 823       | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 824       | 0.3          | STT       | CLOSED            | 11129                         | 12119 | 13000 | 14000 | 15119 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 825       | 0.2          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 826       | 0.2          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 827       | 0.4          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16002 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 828       | 0.2          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15119 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 829       | 0.03         | STT       | CLOSED            | 11000                         | 12119 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |
|--------------|--------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|
|              |              |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |
|              |              |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |
| OR 830       | 0.1          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 831       | 0.6          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16002 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 832       | 0.9          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16002 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 833       | 0.5          | STT       | CLOSED            | 11119                         | 12000 | 13000 | 14000 | 15000 | 16002 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 834       | 0.1          | STT       | CLOSED            | 11119                         | 12000 | 13000 | 14000 | 15000 | 16002 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 835       | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16002 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 836       | 0.1          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 837       | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111000 |
| OR 838       | 0.3          | STT       | CLOSED            | 11000                         | 12119 | 13000 | 14000 | 15119 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 839       | 0.1          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 840       | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111000 |
| OR 841       | 0.4          | STT       | CLOSED            | 11000                         | 12000 | 13119 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 842       | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 843       | 0.3          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111000 |
| OR 844       | 0.2          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 845       | 0.2          | STT       | CLOSED            | 11000                         | 12000 | 13119 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 846       | 0.5          | STT       | CLOSED            | 11000                         | 12000 | 13119 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 847       | 0.04         | STT       | CLOSED            | 11119                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 848       | 0.05         | STT       | CLOSED            | 11119                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 849       | 0.1          | STT       | CLOSED            | 11119                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.

ROUTE DESIGNATION RECORD

| Route Number | Route Length | Route RMO | Route Designation | Route Evaluation Criteria 1,2 |       |       |       |       |       |       |        |       |        |        |
|--------------|--------------|-----------|-------------------|-------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|--------|--------|
|              |              |           |                   | Tier 1                        |       |       |       |       | 2     | 3     | Tier 4 |       |        |        |
|              |              |           |                   | 1                             | 2     | 3     | 4     | 5     | 6     | 7     | 8      | 9     | 10     | 11     |
| OR 850       | 0.4          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 851       | 0.1          | STT       | CLOSED            | 11119                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 852       | 0.1          | STT       | CLOSED            | 11119                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 853       | 0.3          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 854       | 0.6          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15119 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 855       | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111119 |
| OR 856       | 0.3          | STT       | CLOSED            | 11119                         | 12000 | 13000 | 14000 | 15119 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 857       | 0.1          | STT       | CLOSED            | 11119                         | 12000 | 13000 | 14000 | 15119 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 858       | 0.1          | STT       | CLOSED            | 11000                         | 12119 | 13000 | 14000 | 15119 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 859       | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 860       | 0.1          | STT       | CLOSED            | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 861       | 0.4          | STT       | CLOSED            | 11000                         | 12119 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 862       | 0.3          | STT       | CLOSED            | 11129                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110129 | 111000 |
| OR 863       | 0.4          | STT       | CLOSED            | 11119                         | 12000 | 13000 | 14000 | 15119 | 16000 | 17000 | 18000  | 19000 | 110000 | 111119 |
| OR 864       | 0.3          | STT       | CLOSED            | 11000                         | 12119 | 13000 | 14000 | 15119 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| OR 865       | 0.2          | STT       | OPEN              | 11000                         | 12000 | 13000 | 14000 | 15000 | 16000 | 17000 | 18000  | 19000 | 110000 | 111000 |
| BAKER        | 3.0          | JEEP      | CLOSED*           | 11119                         |       |       |       |       |       | 17119 |        | 19119 |        | 111119 |
| BYLES        | 2.2          | JEEP      | CLOSED*           | 11119                         |       |       |       |       |       | 17119 |        | 19119 |        | 111119 |
| CANE         | 3.5          | JEEP      | CLOSED*           | 11119                         |       |       |       |       |       | 17119 |        | 19119 |        | 111119 |
| KCAC ROAD    | 5.4          | IMPR      | CLOSED*           | 11119                         |       |       |       |       |       | 17119 |        | 19119 |        |        |
| LARIOUS      | 0.3          | 4WD       | CLOSED            | 11119                         | 12129 |       |       |       |       | 17119 |        |       |        |        |
| SANTA RITA   | 0.4          | 4WD       | CLOSED            |                               | 12119 |       |       |       |       |       |        | 19129 |        |        |

\* CLOSED TO PUBLIC, ADMINISTRATIVE USE ONLY

Route Evaluation Criteria: 1, Private/state lands/mines; 2, Sensitive Species and Cultural; 3, RNA/WSA; 4, Barrens Interface; 5, Riparian Areas; 6, Erosion, Soil Loss Standard; 7, OHV use/use spectrum; 8, RMO; 9, Admin Use/ROW's; 10, Route Proliferation/redundancy; 11, Route Continuity.